	Hits	Search Text	DBs
1	6	US-5548646-$.DID. OR US-5854841-$.DID. OR US-5864683-$.DID. OR US-5870544-$.DID. OR US-5987140-$.DID. OR US-5991414-$.DID.	USPAT
2	5624	((encrypt$3 or secure or crypto$) near2 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	1634	((encrypt$3 or crypto$) near server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	1553	encrypt$3 near server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	189	encryption adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	5	utiliz$5 with (encryption adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	11	5751813.URPN.	USPAT
8	0	utiliz$5 with ((cryptograph$2 near2 (harware or card)) near5 (server or gateway))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	12	utiliz$5 with (cryptograph$2 near2 (harware or card))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	10	5604807.URPN.	USPAT
11	16	(thin near2 (client or terminal)) same ((encrypt$3 or cryptograph$2 or secure) near2 (server or gateway))	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	1	("5602918").PN.	USPAT
13	11	("5586260" | "5659616" | "5671279" | "5675649" | "5745574" | "5774552" | "5872848" | "5903651" | "5903882" | "6202157" | "6233341").PN.	USPAT
14	41	different near3 (encrypt$3 or cryptograph$2) near2 (algorithm or method or technique or protocol) with (server or gateway or proxy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	11	("4660032" | "5285496" | "5392353" | "5452356" | "5481255" | "5495533" | "5590197" | "5604801" | "5638450" | "5668876" | "5694471").PN.	USPAT
16	40	5285496.URPN.	USPAT

	Hits	Search Text	DBs
17	6	("4803726" | "4882579" | "5018196" | "5072444" | "5103459" | "5168271").PN.	USPAT
18	16	conver$4 near3 (encrypt$3 or cryptograph$2) near2 (algorithm or method or technique or protocol) with (server or gateway or proxy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	3	("5001755" | "5381480" | "5475757").PN.	USPAT
20	14	5475757.URPN.	USPAT
21	9	5812671.URPN.	USPAT
22	103	(server or gateway) with (proxy near3 client) same (encrypt$3 or cryptograph$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	1	"5696823".PN.	USPAT
24	0	6779111.URPN.	USPAT
25	4	("5623601" | "5706434" | "5764750" | "5781550").PN.	USPAT
26	32	"encryption proxy" or (proxy near2 crypto$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	1	"20020161998"	USPAT; US-PGPUB
28	1	("5208858").PN.	USPAT
29	21	5208858.URPN.	USPAT
30	3	("5005200" | "5050212" | "5073934").PN.	USPAT
31	1114	(signing or signature) near2 (proxy or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	456	((signing or signature) near2 (proxy or server)) same (rsa or "public key" or "private key")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	88	((signing or signature) adj (proxy or server)) same (rsa or "public key" or "private key")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	157	(send$3 or transmit$3) near2 "private key" with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	5720	713/151,153,155,176,180,201;380/29,30.ccls.	USPAT; US-PGPUB
36	20	713/151,153,155,176,180,201;380/29,30.ccls. and "encryption proxy" or (proxy near2 crypto$)	USPAT; US-PGPUB

	Hits	Search Text	DBs
37	72	713/151,153,155,176,180,201;380/29,30. ccls. and ((signing or signature) adj (proxy or server))	USPAT; US-PGPUB